

Marinos **ICOM** Portátiles



www.pcimiami.com
+1 (305) 822-2258

PCI
PORTABLE COMMUNICATIONS, INC
"A Trusted Partner"


 ICOM

TRANSCPTOR MARINO DE VHF

IC-M25

¡Nuevo estilo!
Disponible en tres colores
Funciones inteligentes



 Azul marino



 Gris metalizado

 Blanco perla



**Delgado, ligero,
alto rendimiento**



**Carga con USB
(USB tipo Micro-B)**



**Batería de 11 horas
de duración**



**LCD grande,
Interfaz de usuario simple**



Float'n Flash



**Altavoz-micrófono
opcional, HM-213**



Imagen de Float'n Flash

*Solo para fines ilustrativos



VHF MARINE TRANSCEIVER

IC-M36*"Automatic Volume Adjustment"**"Noise Cancelling Mic"**"Loud, Instant Maximum Audio"*

CLEAR VOICE BOOST

(Clear Voice + Voice Boost)

In marine environments there are many sources of noise that can affect the quality of your communications, such as engine noise, breaking surf and more. The IC-M36 automatically adjusts the outgoing voice and the incoming audio to compensate for the ambient noise level: whether you're in a loud environment or in a quiet area, the IC-M36 ensures your radio conversation is sent and received as clearly as possible.

And yes, it floats too!

Continuing the legacy of the IC-M34, the IC-M36 floats back up to the surface if dropped overboard, even if the optional speaker microphone, HM-165, is attached.

FLOATING**Submersible**

1m depth for 30 minutes

Rugged
MIL-STD 810

ICOM

VHF MARINE TRANSCEIVER

IC-M88

Submersible

1m depth for 30 minutes



Rugged
MIL-STD 810



Not Just Another Marine Radio!

Tough construction, superior waterproofing

The IC-M88 is built tough to withstand hazardous and un hospitable environments at sea and on land. Even if the IC-M88 is dropped into water, complete waterproofing* will protect it from harm. The compact and durable body has been tested to the military specifications (MIL-STD).

* Equivalent to JIS waterproof grade 7. (1 m depth for 30 minutes)

Simple operation

6 clearly labelled buttons on the front panel and the volume/power knob maximize simplicity of operation. Even when wearing gloves, the large buttons are easy to operate. A large, clear LCD with backlighting and backlit buttons make night time operation simple.

Li-Ion battery for extra long battery life

With the 1950 mAh (typ.) Li-Ion battery pack, the BP-227, you can get up to 15 hours of talk time* without worrying about 'memory effect' on batteries. An optional AA alkaline battery case, BP-226, provides a convenient back up and great reassurance in an emergency.

* Typical operation; Tx/Rx:Stand-by duty ratio = 5:5:90

Waterproof speaker-microphone, HM-168

An optional waterproof speaker-microphone, the HM-168, provides reliable operation, even with the IC-M88 securely on your belt.

Powerful 5 Watts output power

The 5 Watts of output power ensures the reliability of your communication, even over long distances. To save on battery consumption, you can reduce the output power to 3 Watts or 1 Watt.

22 programmable channels for land use

The IC-M88 has 22 programmable channels reserved for Land use (146-174 MHz). Wide/narrow channel spacing is programmable for each channel, and CTCSS and DTCSS signaling is built-in.

*Appropriate license will be required.

Desktop charger supplied

The BC-152N desktop charger is a simple drop-in charger. Set the charger on a table or mount it to a wall.

